20

## IN THE CLAIMS

Please amend the claims as follows:

- 1. (Currently Amended) In a data processing environment having a user with a first user identifier, which uniquely identifies said user, at a terminal located at a particular site, the improvement comprising:
- a. wherein said terminal includes a second user identifier having a format similar to said first user identifier which uniquely identifies said particular site and wherein said terminal generates a service request the honoring of which requiring access to secure data responsively coupled via a 10 publically accessible digital data communication network to a data base management system having at least one data base containing said secure data which honors said service request by executing a sequence of command language script; a<del>nd</del>
  - 15 b. an administration module; and
    - c. a security profile maintained by said administration module and stored in association with said sequence of command language script corresponding to said sequence of command language script whereby said data base management system permits said user to access said secure data from

12/30/04 THU 12:15 FAX 812 331 2239

5

1.5

said at least one data base from said terminal at said particular site without transfer of said first user identifier uniquely identifying said user via said publically accessible digital data communication network if said second user identifier corresponds to said security profile.

- (Currently Amended) The improvement according to claim 1 wherein said site specific security profile is generated by said data base management system.
- 10 3. (Previously Presented) The improvement according to claim 2 further comprising a portion of said service request whereby said data base management system receives said second user identifier corresponding to said particular site.
  - (Original) The improvement according to claim 3 wherein said publically accessible digital data communication network further comprises the Internet.
    - (Original) The improvement according to claim 4 wherein said data base management system is MAPPER.
    - (Previously Presented) An apparatus comprising:

- a. a terminal located at a particular location having a first identifier which uniquely identifies said terminal and a user with a second identifier which uniquely identifies said user and which generates a service request;
- b. a data base management system having access to a data base responsively coupled to said terminal via a publically accessible digital data communication network and which executes a sequence of command language script to honor said service request; and
- c. a security profile generated by said data base
  management system corresponding to said sequence of command
  language script whereby said data base management system
  executes said sequence of command language script to provide
  access to a particular secure portion of said data base
  corresponding to said location specific security profile
  without transfer of said second identifier via said
  publically accessible digital data communication network if
  said first identifier corresponds to said security profile.
- 7. (Previously Presented) The apparatus of claim 6 wherein said terminal accesses said data base by transferring said service request to said data base management system.

15

- 8. (Previously Presented) The apparatus of claim 7 wherein said service request further comprises a special portion corresponding to said particular location.
- 9. (Original) The apparatus of claim 8 wherein said data base management system further comprises MAPPER.
  - 10. (Original) The apparatus of claim 9 wherein said publically accessible digital data communication network further comprises the world wide web.
- 11. (Currently Amended) A method of utilizing a terminal having

  10 a user with a user identifier which uniquely identifies said user

  10 located at a particular site to securely access a remote data

  base management system having a data base via a publically

  accessible digital data communication network comprising:
  - a. signing on to said terminal by said user utilizing said user identifier;
  - b. transmitting a service request requiring execution of a sequence of command language statements to provide secure access to said data base from said terminal without transferring said user identifier;
  - 20 c. receiving said service request by said remote data base management system;

10

- d. determining a security profile corresponding to said sequence of command language statements <u>utilizing an</u> <u>administration module;</u>
- e. comparing said security profile with said service request; and
- f. honoring said service request if and only 1f said service request corresponds to said security profile
- 12. (Previously Presented) A method according to claim 11 wherein said transmitting step further comprises transmitting a portion of said service request identifying said particular site.
- 13. (Previously Presented) A method according to claim 12 wherein said determining step further comprises generating said security profile corresponding to said sequence of command language statements.
- 14. (Original) A method according to claim 13 wherein said publically accessible digital data communication network further comprises the Internet.
- 15. (Original) A method according to claim 14 wherein said remote data base management system further comprises the MAPPER data base management system.

10

15

- 16. (Currently Amended) An apparatus comprising:
- a. permitting means located at a site for permitting a user having a user identifier to interact with a data base responsively coupled via a publically accessible digital data communication network;
- b. offering means responsively coupled to said permitting means via said publically accessible digital data communication network for offering data processing services involving access to said data base in response to said service request by executing a sequence of command language script;
- c. preventing means responsively coupled to said offering means for preventing said offering means from offering said data processing services to said user in response to said service request unless said site corresponds to a security profile associated with said sequence of command language script and maintained by an administration module wherein said security profile permits access to said data base without access to said user identifier.
- 17. (Original) An apparatus according to claim 16 wherein said publically accessible digital data communication network further comprises the Internet.

- 18. (Previously Presented) An apparatus according to claim 17 wherein said permitting means further comprises means for transmitting a portion of said service request corresponding to said site.
- 19. (Original) An apparatus according to claim 18 wherein said offering means further comprises MAPPER data base management system.
- 20. (Original) An apparatus according to claim 19 wherein said permitting means further comprises an industry standard personal computer.